

oracle@rhelas2:/oracle805/stage/orainst

### Character Set

Select the character set for creating this database. If your desired character set is not listed, select (Others..) and enter the character set manually.

EE8ISO8859P2  
EL8DEC  
JA16EUC  
KO16KSC5601  
RU8PC855  
US7ASCII  
WE8DEC

(Help...)

(Back)

(Cancel)

(OK)

oracle@rhelas2:/oracle805/stage/orainst

### National Character Set

Select the national character set for this database. The default value is the character set specified for database creation. If your desired character set is not listed, select (Others..) and enter the character set



JA16DBCSTXED  
KO16KSC5601  
RU8PC855  
US7ASCII  
WE8DEC  
WE8ISO8859P9  
(Others..)



(Help...)

(Back)



(Cancel)

(OK)











oracle















oracle@rhelas2:/oracle805/stage/orainst

**Documentation Format**

Select one of the following formats for your Oracle8 Server, Release 8.0.5 documentation:

- HTML
- PDF
- Both

(Help...)      (Back)      (Cancel)      **OK**

oracle@rhelas2:/oracle805/stage/orainst

**Oracle**


Installing... (Cancel)

From: /oracle805/stage

To: /oracle805/lib/libplsf.a

ORACLE PL/SQL Libraries

Loading ORACLE PL/SQL Libraries Libraries...



这是建库的脚本，没关系，改天有空了，我手工建库。O(∩\_∩)o 哈哈

--未完，待续